

200000113

HHE UNITED STAYIES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE UGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR CONTINUOUS, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ALL BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'96B21'

In Jertimonn Mexcest, I have hereunto set my hand and caused the seal of the Plant Institute Association Office to be affixed at the City of Washington, D.C. this eighth day of May, in the year of our Lord two thousand one.

Clark fort

Acting Commissioner Plant Variety Protection Office Sgricultural Marketing Service Secretary of Agriculture

DATE

CAPACITY OR TITLE

CAPACITY OR TITLE

(04-95)

SD-470

Sovbean Research Coordinator

(Previous editions are to be destroyed)

DATE

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 96B21

Variety 96B21 evolved from a 1995 cross of 9594/{9594/{9584/[A4715/[9392/(9392/40-3-2)]]}}.

It is an F3-derived variety which was advanced to the F3 generation by modified single seed descent. The F4 progeny row of 96B21 was grown in the winter of 1996/7. Subsequently, 96B21 has undergone three years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of resistance to labeled rates of Roundup Branded herbicides and yield potential, variety 96B21 was assigned a commercial number.

The purification block was grown during the summer of 1998. One hundred acres of 96B21 (breeders seed) were grown in the winter of 1998/9. 3177 acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1999 and 95,513 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 96B21

Variety 96B21 is most similar to variety 9631. Both varieties are similar in maturity and have purple flowers, gray pubescence, imperfect black hila and tan pods. However, 96B21 is resistant to labeled rates of Roundup Branded herbicides whereas 9631 is not.

Variety 96B21 is somewhat similar to AG5602. Both varieties are resistant to labeled rates of Roundup Branded herbicides. However, AG5602 has white flowers whereas 96B21 has purple flowers.

Variety 96B21 is somewhat similar to S59-V6. Both varieties are resistant to labeled rates of Roundup Branded herbicides. However, S59-V6 has tawny pubescence whereas 96B21 has gray pubescence.

Variety 96B21 is somewhat similar to AG6101. Both varieties are resistant to labeled rates of Roundup Brand herbicides. However AG6101 has buff hila whereas 96B21 has imperfect black hila.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SEED DIVISION - PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max l	L.
NAME OF APPLICANT(S) TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	96B21
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)	FOR OFFICIAL USE ONLY
7300 N.W. 62nd Ave., P.O. Box 1004	PVPO NUMBER 200013
Johnston, IA 50131-1004	2000001101
Choose the appropriate response which characterizes the variety in the features described below. When the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., $\boxed{0}$ $\boxed{9}$). Standard adequate soybean variety description. Other characters should be described when information is availant to the characters of the characters are considered by the characters of the charact	arred characters 🛨 are considered fundamental to an
1. SEED SHAPE:	
2 L W T	
	al Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) e Flattened (L/T ratio > 1.2; T/W > 1.2)
3 - Liongate (4) 1 (dito > 1.2, 1/W - < 1.2) 4 - Liongate	e nattened (L/1 Tatio > 1.2, 1/W > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Sp	pecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	· ·
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'G	asoy 17')
★4. SEED SIZE: (Mature Seed)	
1 4 Grams per 100 seeds	
★ 5. HILUM COLOR: (Mature Seed)	
5 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = E	Black 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 1 = Low 2 = High	
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 a) 2 = Type B (SP1 b)	
★ 9. HYPOCOTYL COLOR:	
1 = Green only ('Evane': 'Davie') 2 = Green with bree	nze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	and balla bolon dolyloudile (Troduiterall, Trady)
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton'	n 266A')
★ 10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Spec	ify)

Variety Name 96B21

	11. LEAFLET SIZE:		
	2 1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	12. LEAF COLOR:		
	2 1 = Light Green ('Weber'; 'York')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
	3 = Dark Green ('Gnome'; 'Tracy')	- management (colody to, blackon)	
*	13. FLOWER COLOR:		
	2 1 = White 2 = Purple	3 = White with purple throat	
*	14. POD COLOR:		
•	1 1 = Tan 2 = Brown	3 = Black	
*	15. PLANT PUBESCENCE COLOR:	o Staor	
	1 1 = Gray 2 = Brown (Tawny	a)	
	16. PLANT TYPES:		
	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
٠.			
×	17. PLANT HABIT:		
	1 = Determinate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')	
	3 = Indeterminate ('Nebsoy'; 'Improved	Pelican')	
⋆_	18. MATURITY GROUP:		
L	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 = I $5 = II$ $6 = III$ $7 = IV$ $8 = V$	
	$9 = VI \qquad 10 = VII 11 = VIII$	$12 = IX \qquad 13 = X$	
*	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = \$	Susceptible; 2 = Resistant)	
	BACTERIAL DISEASES:		
	* 2 Bacterial Pustule (Xanthomonas phase	seoli var. sojensis)	
	* 1 Bacterial Blight (Pseudomonas glycine	ea)	
	★ 2 Wildfire (Pseudomonas tabaci)		
	FUNGAL DISEASES:		
	★ 1 Brown Spot (Septoria glycines)		
	Frogeye Leaf Spot (Cercospora sojina	· a)	
	Race 2	Race 3	
	Target Spot (Corynespora cassiicola)		
	Downy Mildew (Peronospora trifoliorun	n var. manshurica)	
	Powdery Mildew (Microsphaera diffusa)		
	★ 0 Brown Stem Rot (Cephalosporium greg	gatum)	
	O Stem Canker (Diaporthe phaseolorum v	var. caulivora)	

Variety Name	2	0 6B:	2	0	0	0	9	-	3	
--------------	---	----------	---	---	---	---	---	---	---	--

19.	וסוט	ASES REACTION: (I	=nter 0 = Not Tested; 1 = Susceptible	; 2 = Resistant) (Continued)	
	F	UNGAL DISEASES: (Co	ntinued)		
*		Pod and Stem Blight	(Diaporthe phaseolorum var; sojae)		
	0	Purple Seed Stain (6	Cercospora kikuchii)		
	1	Rhizoctonia Root Rot	(Rhizoctonia solani)		
		Phytophthora Rot (P	Phytophthora megasperma var. sojae)		
*	1	Race 1 0 Race	e 2 0 Race 3 0 Race 4	0 Race 5 0 Race 6	0 Race 7
	0	Race 8 0 Race	9 Other (Specify)		<u> </u>
	V	RAL DISEASES:			
	1	Bud Blight (Tobacco I	Ringspot Vírus)		
	1	Yellow Mosaic (Bean	Yellow Mosaic Virus)		
*	1	Cowpea Mosaic (Cow	pea Chlorotic Virus)		
	1	Pod Mottle (Bean Pod	Mottle Virus)		
*	0	Seed Mottle (Soybean	Mosaic Virus)		
	N	EMATODE DISEASES:			
		Soybean Cyst Nemator	de (Heterodera glycines)		
*		Race 1 0 Race	2 1 Race 3 0 Race 4	Other (Specify)	
	0	Lance Nematode (Hop.	iolaimus Colombus)		
*	0	Southern Root Knot Ne	ematode (Meloidogyne incognita)		
*	0	Northern Root Knot No	ematode (Meloidogyne Hapla)		
	0	Peanut Root Knot Nem	natode (Meloidogyne arenaria)		
	0	Reniform Nematode (F	Rotylenchulus reniformis)		
		OTHER DISEASE NOT	ON FORM (Specify)		
20.	PHYS	IOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = Sus	ceptible, 2 = Resistant)	,
*	0	Iron Chiorosis on Calca	areois Soil		
		Other (Specify)			·
21.	INSE	T REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible, 2 =	Resistant)	
	0	Mexican Bean Beetle (Epilachna Varivestis)		
	2	Potato Leaf Hopper (En	npoasca fabae)		
		Other (Specify)			
22 , 1	NDIC	ATE WHICH VARIETY	MOST CLOSELY RESEMBLES THAT	SUBMITTED.	
	СНА	RACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
	Plant	Shape	9594	Seed Coat Luster	9631
	Leaf S	Shape	9594	Seed Size	9594
	Leaf (olor ·	9594	Seed shape	9594
	Leaf S	bize	9594	Seedling Pigmentation	9631

Variety Name 96B21

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
				CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted 96B21	134	2.6	101					14	3
Name of Similar Variety 9631	139	3.2	99					11	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 96B21

In Exhibit C we have identified variety 96B21 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic and pod mottle.

This does not mean that variety 96B21 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 96B21 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 96B21 is an early Group VI variety. If Group VI varieties are divided into tenths, the relative maturity of 96B21 is 6.2.

PLEASE NOTE:

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.